

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

PRINTING DATE 12 11 2024

VERSION 1

REVISION 12 11 2024

SECTION 1. Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- Trade name

NO SLIP PROCLEANER

UFI:N800-F0PS-800E-NPMF

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Life cycle stages

C Consumer use

PW Widespread use by professional workers

- Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC35 Washing and cleaning products (including solvent based products)

- Application of the substance / the mixture

Floor cleaner and Hard surfaces

- Uses advised against

Any use other than those identified is not recommended

1.3 Details of the supplier of the safety data sheet

- Supplier

CIPA GRES SpA (Cipa Industrial Service)

Via Statale 467, n.119 - 42013 Casalgrande (RE)

Tel. +39 0522 846890 - Fax +39 0522 849910

www.cipagres.it ; E-mail: info@cipagres.it

- Further information obtainable from:

ufficiotecnico@cipagres.it

1.4 Emergency telephone number:

Bonasystems +39 0421 325691

Poison Control Center of Verona 800 011858 (Azienda Ospedaliera Integrata - Verona)

Poison Control Center of Milano 0266101029 (Ospedale Niguarda Ca' Granda - Milano)

Poison Control Center of Pavia 0382 24444 (Centro Nazionale di Informazione Tossicologica - Pavia)

Poison Control Center of Bergamo 800 883300 (Az. Osp. Papa Giovanni XXIII - Bergamo)

Poison Control Center of Firenze 055 7947819 (Az. Osp. "Careggi" U.O. Tossicologia Medica - FI)

Poison Control Center of Roma 06 3054343 (CAV Policlinico Gemelli - Roma)

Poison Control Center of Roma 06 49978000 (CAV Policlinico Umberto I - Roma)

Poison Control Center of Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

Poison Control Center of Foggia 0881 732326 (CAV Ospedale Univ. - Foggia)

Poison Control Center of Roma 06 68593726 (CAV Osp. Pediatrico Bambino Gesù - Roma)

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) N.1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage
Eye Dam. 1 H318 Causes serious eye damage



GHS07

Acute Tox.4 H302 Harmful if ingested

2.2 Label elements

- Labelling according to Regulation (EC) N.1272/2008

The product is classified and labelled according to the CLP regulation

- Hazard pictograms



GHS05



GHS07

- Signal word

Danger

- Hazard-determining components of labelling:

ammonium bifluoride

Magnesium hexafluosilicate hexahydrate

butan-1-ol

C9-11 Ethoxylated alcohol (>5 EO)

- Hazard statements

H302 Harmful if ingested

H314 Causes severe skin burns and eye damage

- Precautionary statements

P280 Wear protective gloves / eye protection

P301+P312

If ingested: If you feel unwell, contact a POISON CONTROL CENTER/a doctor.

P301+P330+P331 If ingested: rinse mouth. DO NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P305+P351+P338 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations

- Additional information:

- Regulation (EC) N.648/2004 on detergents / Indication of content

Perfume

non-ionic surfactants, amphoteric surfactants

<5%

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

2.3 Other hazards

- *More information:*

- Results of PBT and vPvB assessment

- PBT: Based on available data, the product does not contain PBT substances in percentage $\geq 0.1\%$

- vPvB: Based on available data, the product does not contain vPvB substances in percentage $\geq 0.1\%$.

The substance/mixture does not contain any components considered to have endocrine disrupting properties according to Article 57(f) of the REACH Regulation or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels equal to or greater than 0.1%;

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

- *Description:*

Mixture of substances listed below with nonhazardous additions.

- *Dangerous components:*

CAS: 1341-49-7 EINECS: 215-676-4 Reg.nr.: 01-2119489180-38	ammonium bifluoride ⚠ Acute Tox. 3, H301; ⚠ Skin Corr. 1B, H314 ATE: LD50 oral: 130 mg/kg Specific concentration limits: Skin Corr. 1B; H314: $C \geq 1\%$ Skin Irrit. 2; H315: $0,1\% \leq C < 1\%$ Eye Irrit. 2; H319: $0,1\% \leq C < 1\%$	5-15%
CAS: 71-36-3 EINECS: 200-751-6 Reg.nr.: 01-2119484630-38	butan-1-ol ⚠ Flam. Liq. 3, H226; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox.4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336 ATE: LD50 oral: 790 mg/kg LD50 dermal: 3.400 mg/kg LC50/4 h inhalation: 8.000 mg/l	1-2%
CAS: 18972-56-0 EINECS: 241-022-2 Reg.nr.: 01-2119980031-47	Magnesium hexafluosilicate hexahydrate ⚠ Acute Tox. 3, H301; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox.4, H332; Aquatic Chronic 3, H412 ATE: LD50 oral: 291 mg/kg LC50/4 h inhalation: 3,6 mg/l	1-2%
CAS: 68439-46-3	C9-11 Ethoxylated alcohol (>5 EO) ⚠ Eye Dam. 1, H318; ⚠ Acute Tox.4, H302; ATE: LD50 oral: 500 mg/kg	1-2%

More information: The text of the warning of the dangers mentioned can be found in chapter 16

SECTION 4: First aid measures

4.1 Description of first aid measures

- *General information:*

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

- *IF INHALATED:*

In case of unconsciousness place patient stably in side position for transportation

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

- After skin contact:

Immediately wash with water and soap and rinse thoroughly

- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor

- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately showing the safety data sheet or hazard label

4.2 Most important symptoms and effects, both acute and delayed

Skin: corrosive, burning, irritation

Oral cavity: corrosion of the gastrointestinal tract

Eyes: corrosive, corneal damage, irritation

respiratory tract: irritation

4.3 Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice (show instructions for use or safety data sheet if possible)

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions. CO₂, powder or water spray.

Fight larger fires with water spray

- For safety reasons unsuitable extinguishing agents:

No one in particular

5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

- Protective equipment:

Wear personal protective clothing

See Section 8 for information on personal protection equipment

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away

See Section 8 for information on personal protection equipment.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)..

Dispose of contaminated material in accordance with point 13.

Ensure adequate ventilation

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in a cool, dry place in tightly closed drums.

You should follow the usual precautions for handling chemical products

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace

Prevent formation of aerosols

- *Information about fire - and explosion protection:*

The product is not flammable

Provide emergency cooling in the event of a fire in the surrounding area

7.2 Conditions for safe storage, including any incompatibilities

- *Storage:*

- *Requirements to be met by storerooms and receptacles:*

Store only in the original receptacle

- *Mixed storage instructions:*

Do not store in contact with food.

- *Further information about storage conditions:*

Keep containers tightly closed

7.3 Specific end use(s)

No relevant information available, see item 1.2

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- *Ingredients with limit values that require monitoring at the workplace:*

CAS: 71-36-3 butan-1-ol (1-2%)		
TWA (Italia)	61 mg/m ³ , 20 ppm	
CAS: 18972-56-0 Magnesium hexafluosilicate hexahydrate (1-2%)		
TWA (EU)	Short-term value: 2,5 mg/m ³ Long-term value: 2,5 mg/m ³	
- <i>Regulatory information:</i> TWA (Italia): limit value		
DNEL		
CAS: 1341-49-7 ammonium bifluoride		
Oral inhalation	Long-term value, systemic effect Short-term value, local effect	2,3 mg/kg (professional workers) 3,8 mg/m ³ (professional workers)
CAS: 18972-56-0 Magnesio esafluosilicato esaidrato		
inhalation	Short-term value, systemic effect Long-term value, elocal effect Long-term value, systemic effect	2,5 mg/m ³ (professional workers) 2,5 mg/m ³ (professional workers) 2,5 mg/m ³ (professional workers)
PNEC		
CAS: 1341-49-7 ammonium bifluoride		
PNEC	1,3 mg/l (Fresh water) 22 mg/l (Soil)	

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PRO CLEANER

18972-56-0 Magnesium hexafluosilicate hexahydrate	
PNEC	11 mg/kg (Soil)
PNEC	0,9 mg/l (Fresh water)
	0,9 mg/l (Sea water)
	51 mg/l (Wastewater treatment plants)

· *Additional information:*

The lists valid during the making were used as basis.

8.2 Exposure controls

- *Suitable technical checks*

No data, see item 7

- *Individual protection measures, such as personal protective equipment*

- *General protective and hygienic measures:*

Keep away from foodstuffs, beverages and feed.

Remove contaminated clothing immediately

Wash hands before breaks and at the end of work.

Do not inhale gas/vapours/aerosols.

Avoid contact with the eyes and skin.

- *Respiratory protection:*

Temporary filtering device: Filter A/P2

- *Hand protection*



Protective gloves

Use only chemical protection gloves marked EN 374.

The material of the gloves shall be waterproof and stable against the product/substance/formulation.

Choice of glove material taking into account the passage times, permeation rates and degradation.

- *Glove material*

Nitrile rubber

Neoprene gloves

The choice of suitable gloves depends not only on the material but also on other qualities vary from one manufacturer to another. Since the product represents a formulation of more substances, the stability of glove materials cannot be calculated in advance and must be tested before use. Recommended material thickness: 0.2 mm

- *Permeation time of glove material*

Ask the glove supplier for a precise pass time which must be respected.

Penetration time: 480 min - Material thickness: 0.7 mm

Penetration time: 60 min - Material thickness: 0.4 mm

Penetration time: 30 min - Material thickness: 0.2 mm

Ask the glove supplier for a precise pass time which must be respected.

Value for permeation: Level 2/3

- *Protection of eyes/face*



Waterproof protective glasses (EN 166)

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

SECTION 9: Physical and chemical properties

9.1 Basic physical and chemical properties

General instructions

- Physical state:
- Colour:
- Odor:
- Olfactory threshold:
- Melting/freezing point:
- Boiling point or initial boiling point and boiling interval
- Flammability
- Lower and upper explosivity limit
- Lower:
- Top:
- Flash point:
- pH at 20 °C
- Viscosity:
- Viscosity kinematic
- Dynamic:
- Solubility
- Water:
- Partition coefficient n-octanol/water (logarithmic value)
- Vapour pressure at 20 °C:
- Density and/or Relative density
- Density :
- Relative density
- Vapour density

Liquid
Green
Similar to alcohol
Not defined
Not defined
100 °C
Not applicable

Not defined
Not defined
Not applicable
5 - 7

Not defined
Not defined

Soluble
Not defined
23 hPa

Not defined
Not defined
Not defined

9.2 Other informations

- Appearance:
- Form:
- Important information on health and environmental protection as well as safety
- Ignition temperature:
- Explosive properties:
- Change of state:
- Evaporation Rate:
- Information on classes of physical hazards:
- Explosives
- Flammable gas
- Aereosol
- Gas oxidising
- Gas pressured
- Flammable liquids
- Flammable solids
- Self-reactive substances and mixtures
- Pyrophoric liquids
- Pyrophoric solids

Liquid

Non-flammable product
Non-explosive product

Not defined

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

- Self-heating substances and mixtures	Not applicable
- Gas-emitting substances and mixtures	
Flammable in contact with water	Not applicable
- oxidising liquids	Not applicable
- oxidising solids	Not applicable
- organic peroxides	Not applicable
- Substances or mixtures corrosive to metals	Not applicable
- Desensitized explosives	Not applicable

SECTION 10: Stability and reactivity

1.1 Reactivity

No dangerous reaction if stored and used according to instructions

1.2 Chemical stability

The product is stable under normal conditions of use and storage

- *Thermal decomposition/ conditions to be avoided*

The product does not decompose when used in accordance with

10.3 Potential for dangerous reactions

Reactions with alkalis and metals.

10.4 Conditions to avoid

Excessive temperature variations, below 0° C and above 40° C

10.5 Incompatible materials

Aluminum, nickel, Zinc, copper and copper alloys.

1.6 Dangerous decomposition products

Ammonia, Nitrogen oxides (NOx), hydrofluoric acid

SECTION 11: Toxicological information

11.1 Information on hazard classes defined in the Regulation (EC) N. 1272/2008

- *Acute toxicity* harmful if ingested

LD/LC50 values recorded for classification		
NO SLIP PROCLEANER		
Oral for inhalation	LD50 LC50/4h	1.897-2.028 mg/kg 200 mg/l (ATE)
CAS: 1341-49-7 Ammonium bifluoride		
Oral	LD50	130 mg/kg (rat)
CAS: 71-36-3 butan-1-olo		
Oral	LD50	790 mg/kg (ATE) 790 mg/kg (rat)
skin	LD50	3.400 mg/kg (ATE)
for inhalation	LC50/4 h	3.400 mg/kg (rabbit) 8.000 mg/l (ATE) 8.000 mg/l (rat)

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PRO CLEANER

CAS: 18972-56-0 Magnesium hexafluosilicate hexahydrate		
Oral	LD50	291 mg/kg (ATE) 291 mg/kg (rat)
for inhalation	LC50/4h	3,6 mg/l (ATE) 3,6 mg/l (rat)
CAS: 68439-46-3 C9-11 Ethoxylated alcohol (>5 EO)		
Oral	LD50	500 mg/kg (ATE) 300,1-2.000 mg/kg (rat)

- *Skin corrosion/irritation*
Causes severe skin burns and serious eye damage
- *Serious damage/eye irritation*
Causes serious eye damage
- *Respiratory or skin sensitisation*
Based on available data the classification criteria are not met
- *Mutagenicity on germ cells*
Based on available data the classification criteria are not met
- *Carcinogenicity*
Based on available data the classification criteria are not met
- *Toxicity to reproduction*
Based on available data the classification criteria are not met
- *STOT-single exposure*
Based on available data the classification criteria are not met
- *STOT-repeated exposure*
Based on available data the classification criteria are not met
- *Danger in case of aspiration*
Based on available data the classification criteria are not met

11.2 Information on other hazards

- *Endocrine disrupting properties*
The substance/mixture does not contain any components considered to have endocrine disrupting properties under 57(f) REACH of Regulation (EU) 2017/2100 of the Commission or the Rules of Procedure (EU) 2018/605 the Commission at levels equal to or above 0,1%

SECTION 12: Ecological information

12.1 Toxicity

- *aquatic toxicity*

CAS: 1341-49-7 Ammonium bifluoride	
EC50	26 mg/l (daphnia)
CAS: 18972-56-0 Magnesium hexafluosilicate hexahydrate	
EC50	34,2 mg/l (algae) (exposure 72 h) 70,7 mg/l (daphnia) (exposure 48 h)
CAS: 68439-46-3 C9-11 Ethoxylated alcohol (>5 EO)	
EC50	1,1-10 mg/kg (daphnia)

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

12.2 Persistence and degradability

readily biodegradable

12.3 Bioaccumulation potential

Does not accumulate in organisms significantly

12.4 Mobility in soil

No other information available

12.5 Results of the evaluation PBT and vPvB

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The substance/mixture does not contain any components considered to have endocrine disrupting properties under 57(f) REACH of Regulation (EU) 2017/2100 of the Commission or the Rules of Procedure (EU) 2018/605 the Commission at levels equal to or above 0,1%

12.7 other adverse effects

- *Additional environmental information*

- *Further information:*

Hazard to class waters 1 (D) (self-classification): little dangerous

Do not discharge into ground water, streams or sewers undiluted or in large quantities.

SECTION 13: Disposal Considerations

13.1 Method of waste treatment

- *Advice*

Do not disperse the product and its packaging. Do not discharge into the sewers. Proceed with the recycling of the product. When recycling is not possible to dispose of through an authorized company in accordance with local or national laws. The user is responsible for assigning the waste code after determining the properties of the waste, the process that generated it and after discussing it with waste disposal authorities.

- *Uncleaned packaging*

- *Advice*

Empty containers before disposal. Do not reuse empty containers. Start recycling empty containers or disposal via an authorised holding in accordance with local or national legislation

- *Recommended cleaner:*

Water

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

SECTION 14: Transport information

14.1 Number ONU or number ID

- ADR, IMDG, IATA UN1760

14.2 Shipping name UN Transport

- ADR, 1760 CORROSIVE LIQUID, N.A.S. (AMMONIUM HYDROGEN FLUORIDE)
- IMDG, IATA CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROGEN DIFLUORIDE)

14.3 Transport hazard classes

- ADR, IMDG, IATA



- class 8 Corrosive materials
Label 8

14.4 Packing group

- ADR, IMDG, IATA II

14.5 Environmental hazards:

- Marine pollutant: No

14.6 Special precautions for users

Attention: Corrosive materials
- N' hazard identification (number Kemler): 80
- Number EMS: F-A,S-B
- Segregation groups (SGG1) Acids
- Stowage Category B
- Stowage Code SW2 Clear of living quarters

14.7 Bulk Shipping in accordance with IMO acts

Not applicable

- Transport/Further information:

- ADR

- Limited quantities (LQ) 1L

- Limited quantities (EQ) code: E2

Maximum net quantity per inner package: 30 ml

Maximum net quantity per outer package: 1000 ml

- Transport category 2

- Code of tunnel restriction E

- IMDG

- Limited quantities (LQ) 1L

- Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- UN "Model Regulation": 1760 CORROSIVE LIQUID, N.A.S. (AMMONIUM HYDROGEN FLUORIDE) , 8, II

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

SECTION 15: Regulatory information

15.1 Health, safety and environmental laws and regulations specific to the substance or mixture

Prepared in accordance with the directives EEC.

The surfactant (s) contained (s) in this preparation complies (s) with the biodegradability criteria laid down by Regulation (EC) on detergents N. 648/2004. All supporting data shall be made available to the competent authorities of the Member States and shall be provided to those authorities at their express request or at the request of a manufacturer of the formulation.

Safety data sheet drawn up in accordance with the regulation 1907/2006/EC Article 31, Regulation (EU) n. 878/2020 and subsequent adjustments.

- Directive 2012/18/EU
- Specified dangerous substances - ANNEX I
None of the components is contained
- REGULATION (EC) N.1907/2006 ANNEX XVII
Restrizioni: 3, 65
- Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical equipment and electronic - Annex II
None of the components is contained
- Regulation (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of granting licences under Article 5, paragraph 3)
None of the components is contained
- Annex II - EXPLOSIVES PRECURSORS SUBJECT TO ALERT
None of the components is contained

15.2 Chemical safety assessment:

A chemical safety assessment on the mixture has not been carried out.

SECTION 16: Other information

The data are based on our current knowledge, but do not guarantee the characteristics of the and do not give rise to any contractual legal relationship. The information in this Safety Data Sheet is correct according to our best knowledge of the product at the time of publication. This information is provided with the sole to enable the use, storage, transport and disposal of the product in the most correct and safe ways. This information should not be considered a guarantee or specification of the quality of the product. They refer only to the material specifically indicated and are not valid for the same when used in combination with other materials or in other processes not specifically indicated in the text of the Material Safety Data Sheet.

- Relevant phrases
- H226 Flammable liquid and vapors
- H301 toxic if ingested.
- H302 harmful if swallowed
- H314 Causes severe skin burns and serious eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes severe eye irritation.

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

NO SLIP PROCLEANER

H332 harmful if inhaled.
H335 May irritate the respiratory tract.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic organisms with long-term effects.

- Classification according to the Regulation (EC) N. 1272/2008

As prescribed by art. 9 to Reg. 1272/2008/EC the classification of this mixture is based on the calculation method derived from details of the individual substances contained and experimental data for this mixture where available (Available in sections 9, 11 and 12 of this document).

Procedure used for classification of the mixture

Acute Tox. 4, H302 - calculation method

Skin Corr. 1B, H314 - calculation method

Eye Dam. 1, H318 - calculation method

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values (STAStime acute toxicity)

Flam. Liq. 3: flammable liquids – Category 3

Acute Tox. 3: acute toxicity – Category 3

Acute Tox. 4: acute toxicity – Category 4

Skin Corr. 1B: Corrosion/skin irritation – Category 1B

Skin Irrit. 2: corrosion/skin irritation – Category 2

Eye Dam. 1: serious eye damage/eye irritation – Category 1

STOT SE 3: Specific toxicity to target organs (single exposure) – Category 3

Aquatic Chronic 3: dangerous to aquatic environment - long-term hazard to aquatic environment - Category 3